




Serie/Series

58000



**RACCORDI AUTOMATICI
ALTA PRESSIONE**
HIGHT PRESSURE PUSH-IN FITTINGS

Caratteristiche Tecniche / Technical Characteristics



Materiali e Componenti / Component Parts and Materials

- 1 Pinza in Ottone nichelato
- 2 Guarnizione O-Ring in HNBR
- 3 Corpo in Ottone nichelato

- 1 Nickel-plated Brass Collet
- 2 HNBR O-RING Seal
- 3 Nickel-plated Brass Body

Pressioni / Pressures

Pressione minima / Minimum pressure: **0 bar** (0 MPa)

Pressione massima con fluidi: **150 bar** (20 MPa)
Maximum pressure with fluids: 150 bar (20 MPa)

Pressione massima con aria: *** 15 bar** (1.5 MPa)
Maximum pressure with air: *** 15 bar** (1.5 MPa)

Temperature / Temperatures

Temperatura minima / Minimum temperature: **- 30 °C**
Temperatura massima / Maximum temperature: **+130 °C**

Tubi in materiale plastico:
PA6, PA11, PA 12, Polietilene, Poliuretano;ecc. PVC intrecciato
Plastic tubes:
PA6, PA11, PA12, Polyethylene, Polyurethane, Braided PVC.

Filettature / Threads

Gas conica conforme ISO 7.1, BS 21, DIN 2999 / Tapered gas in conformity with ISO 7.1, BS 21, DIN 2999.
Metrica conica conforme UNI 7707 / Metric Tapered in conformity with UNI 7707.

Tubi di collegamento / Connection Tubes

Tubi in materiale plastico:
PA6, PA66 per Alta Pressione.

*** PA6, PA11, PA 12, Polietilene, Poliuretano;ecc.PVC intrecciato.**

Plastic tubes:
PA6, PA66 for Hight Pressure.

*** PA6, PA11, PA12, Polyethylene, Polyurethane, Braided PVC.**

Fluidi compatibili / Fluids


Olio / Oil
Acqua / Water
Grasso / Grease

*** Aria compressa / Compressed air.**

58000

RACCORDO DIRITTO MASCHIO CONICO - STRAIGHT MALE ADAPTOR (TAPER)

NEW




Tubo Tube	A	B	L	CH1	CH2	Conf. Pack.
4	M6x1	6	22	10	2.5	25
4	M8x1	6	20	10	3	25
4	M10x1	6.5	20	10	3	25
4	1/8	7.5	21	10	3	25
6	M6x1	6	24.5	12	2.5	25
6	M8x1	6	24.5	12	3	25
6	M10x1	6.5	21.5	12	3	25
6	1/8	7.5	23	12	3	25



58040

RACCORDO DIRITTO INTERMEDIO - STRAIGHT CONNECTOR

NEW




Tubo Tube	L	Conf. Pack.
4	33.5	25
6	36	25



58100

RACCORDO A L MASCHIO CONICO - ELBOW MALE ADAPTOR (TAPER)

NEW




Tubo Tube	A	L1	L2	CH1	CH2	Conf. Pack.
4	M6x1	6	18	15	8	25
4	M8x1	6	18	15	8	25
4	M10x1	6.5	18	15	8	25
4	1/8	7.5	18	15	8	25
6	M6x1	6	21	17	10	25
6	M8x1	6	21	17	10	25
6	M10x1	6.5	21	17	10	25
6	1/8	7.5	21	17.5	10	25



58111

RACCORDO A L ORIENTABILE MASCHIO CONICO - ORIENTING ELBOW MALE ADAPTOR (TAPER)

NEW



Tubo Tube	A	B	C	L	CH1	CH2	Conf. Pack.
4	M6x1	6	18	22.5	8	11	25
4	M8x1	6	18	22.5	8	11	25
4	M10x1	6.5	18	22.5	8	11	25
4	1/8	7.5	18	24	8	11	25
6	M6x1	6	21	25.5	10	11	25
6	M8x1	6	21	25.5	10	11	25
6	M10x1	6.5	21	22.5	10	11	25
6	1/8	7.5	21	27	10	11	25

